


# ECOSCENT TITANIA



- Built in LED timer
- Stand alone
- Mains powered




COLOUR OPTIONS



Black

# SPECIFICATION SHEET

Product Code: 001-011



## PRODUCT SPECIFICATIONS


Product Name	EcoScent TITANIA
Dimensions	W200mm x D170mm x H550mm
Weight	7.4kg
Coverage	2000m <sup>3</sup>
HVAC	No
Scent Chamber	750ml
Colour	Black
Lifetime	10,000 Hours @ 45°
Operating Temp	0-50°C
IP Rating	IP54
Mounting	Stand Alone
Minimum Noise	<48 Dba
Connection	DC 12V
Control	24hr / 7 Day Digital Timer / Scent Intensity Control / Pre Order Wifi Control
Power Consumption	13W
Supply Voltage	12V DC
Supply Current	0.85A
Scent Consumption	3.5ml / Per hour on 100% Concentration. Lasts approx. 46 days (based on 750ml used at 40% concentration, 10 hours a day)
Length of Product Tested	50pc
Input Voltage (V DC)	13V
Input Power (W DC)	2.5W
Total Scent Output (m <sup>3</sup> )	2000m <sup>3</sup>
Efficiency (SCENT /W)	153.8



# ECOSCENT

Premium Scenting Solutions

## PRODUCT MANUAL TITANIA




Please read the user manual carefully before using the product and keep it in a safe place.

## Safety Precautions

1. Do not use overloaded power supplies, USB ports, sockets, or use damaged power cords and plugs. If used, it may endanger your safety and may cause fire.
2. Please do not open the inside of the scent delivery system as this may cause damage. If the scent delivery system works in error, please read the user manual carefully, follow the normal procedure or consult after-sales.
3. When the scent delivery system is working, do not disassemble the scent delivery system or shake the scent delivery system vigorously.
4. Do not put the scent delivery system or power adapter in water. Do not put water in the fragrance bottle.
5. When the scent delivery system is already filled with fragrance oil or cleaning solution, do not invert, tilt or rotate the scent delivery system to prevent liquid spillage and damage of the scent delivery system and surfaces.

## In The Box

				
Power Supply	Key	User Manual	Spare Oil Bottle Washer	Atomiser Core


# Product Instruction

The EcoScent TITANIA features advanced diffusion technology that converts fragrance oil into a fine, dry, mist, releasing fragrance safely and directly into your environment without sprays or aerosols. Its features: the scent diffusion speed is fast, the atomised particle is fine and smooth, the oil consumption is stable and low.

The EcoScent TITANIA uses a professional diaphragm pump which can work for 10,000 hours. The EcoScent TITANIA has a built in touch panel to control the working time and aroma concentration based on your preference. Leading technology with patented micron atomisation makes the TITANIA'S aroma diffuse and spread quickly providing a long lasting fragrance.

<b>MODEL NO.</b>	TITANIA	<b>DIMENSIONS</b>	200 x 170 x 550 mm
<b>OIL CAPACITY</b>	750ML	<b>N.W</b>	7.4kg
<b>COVERAGE AREA</b>	2000 CUBIC METERS	<b>VOLTAGE</b>	12V DC
<b>POWER</b>	13W	<b>NOISE</b>	<47dba
<b>OIL CONSUMPTION</b>	3.5ML PER 100 ON 100%	<b>INSTALLATION METHOD</b>	Free Standing

# Installation Instruction



Open the aroma oil chamber with the key.


Pour fragrance oil into the bottle.



Tighten the oil bottle to the scent machine.

Reconnect the powers supply.  
TITANIA is ready to use.

## Settings



MODE



SET



UP



DOWN

## Power ON

The scent machine can be set on 4 different working periods.

[MODE]: select to input/change from one event to another event (Working Period). [SET]: select to confirm any setting, as for time setting (hour, minutes), work days and so on. [UP/DOWN]: Select to adjust the time, day, scent concentration and choice of working days. To lock the machine, hold down [SET] for 10 seconds. To reset the machine, hold down [MODE] for 10 seconds.

## Working Time Setting

Press [SET] once. The hour figure will flash. Press [UP/DOWN] to adjust the hour then press [SET] again to adjust the minute in the same way. Press [SET] again to adjust the week day. Finally, press [SET] to confirm.

## Setting The Time

Press [SET] once. The hour figure will flash. Press [UP/DOWN] to adjust the hour then press [SET] again to adjust the minute in the same way. Press [SET] again to adjust the week day. Finally, press [SET] to confirm.

## Operating Period Setting

Press [MODE], the LCD displays [EVENT 1 ON], press [SET] to adjust the on time of first operation period. Press [UP/DOWN] to adjust the hour, minutes and working days. Repeat the operation from [SET] to [UP/DOWN]. We first set the hour, then minutes then work days. Press the [MODE], LCD screen displays [EVENT 1 OFF], select the end time and press [SET]. To set more operation periods, repeat the above steps. The TITANIA allows up to 4 different operation periods.

## Working Day Setting

If you'd like to set the scent machine to operate Monday- Friday, 7am-12pm but want it to operate between 7am-12pm on the weekends, just set 'Program 1' from Monday to Friday and work time from 7am to 12pm. Then set the Program 2 from Saturday to Sunday and work time from 7am to 12 pm.

## Concentration Setting

Once the operating modes have been set, continue to press [MODE] until the LCD screen displays [SCENT WORK]. Press (MODE) a third time, the LCD display will show (SCENT WORK PAUSE) indicating the CONCENTRATION SETTING of first group. Press (UP/DOWN) to adjust the aroma concentration. This is adjusted in 5% increments; the maximum is 95%, the minimum is 5%. 5% for concentration means the machine works for 5 seconds and stop for 300 seconds. Continue to set working period for all 4 working groups using the method above. A 'Working Period' ends at 12 am.



If you require the machine to work past midnight, please create a further working period such as 1: 23:00 - 23:59 and then 2: 00:01 - 06:00.

## Fragrance Concentration

Press (UP/DOWN) to adjust the aroma concentration. The scent system works from 5 to 300 seconds at a time and can be paused from 5 to 300 seconds per your requirements. The longer the pause, the weaker the fragrance.

CONCENTRATION %	WORK	PAUSE
100%	300s	5s
75%	225s	75s
50%	150s	150s
40%	120s	180s
25%	75s	225s
5%	5s	300s

## Scent Delivery System Maintenance

For the scent delivery system maintenance advice please refer to "Clean-Me Guide" included with your purchase. Please ensure the fragrance oil is topped up regularly. Clean with cleaning solution every 2 months or if changing the fragrance.

Do not use the water in the scent system. Do not tilt the scent system.

Before using the scent system please ensure it is correctly installed and to be checked at least monthly. Damage may be caused by improper installation or if using non approved EcoScent fragrances.

Please take care when handling fragrance oils and the scent system as any spillages may cause damage to fabric, flooring, surfaces, polished and painted areas. Any spillages of fragrance oils from the fragrance bottle or from the scent system should be cleaned up immediately.

## Troubleshooting

FAULT	SOLUTION
<b>SCENT DELIVERY SYSTEM IS NOT WORKING</b>	<ul style="list-style-type: none"><li>- Check the power supply.</li><li>- Check if the power is on.</li><li>- Check scent delivery system working time.</li></ul>
<b>WEAK OR NO ATOMISATION</b>	<ul style="list-style-type: none"><li>- Check if the nozzle is blocked</li><li>- Check if the oil pump tube is attached correctly.</li></ul>
<b>OIL LEAK</b>	<ul style="list-style-type: none"><li>- Check if the scent system is upright.</li><li>-Check is the bottle washer isn't broken.</li><li>-Check the connection of the oil bottle and atomiser is closed tightly.</li></ul>
<b>ABNORMAL NOISE</b>	Please send video of the fault to <a href="mailto:ecoscent@ecoscent.co.uk">ecoscent@ecoscent.co.uk</a>

# Scent System Nozzle Change Guide

Before changing the nozzle try using the Cleaning Solution for 10 minutes, this will attempt to unblock any oil residue. Occasionally the nozzle can remain blocked and needs changing. Should your scent system be dispersing less or no fragrance you may need to change the scent dispersal nozzle. Follow the steps below.




## STEP 1

The nozzle is located in the top half of the machine which is connected to clear the tube, which is used to take the fragrance out the bottle.



## STEP 2

Gently remove the nozzle by pulling it out of scent delivery system. In case of the part being placed very firmly - use pliers to remove it. Some fragrance oil or cleaning solution may be present, ensure you take care of clothing and surfaces in case of any spillages.



## STEP 3

A spare nozzle came with the unit.



## STEP 4

Gently place new nozzle back in the scent delivery system and replace the clear tube.



## ALL DONE !

You can sit down, relax and enjoy your favourite fragrance !

## CLEAN ME GUIDE

It is important to regularly clean your scent delivery system with our EcoScent cleaning solution every couple of months to ensure the system runs smoothly and to prevent unnecessary internal damage.

STEP ONE



To clean the scent delivery system, ensure that fragrance oil bottle is empty then half fill with cleaning solution. Turn on the scent system to run as normal for 5-10 minutes.

STEP TWO



Turn off the power, pour out any residual cleaning solution and retain for future use.

STEP THREE



If the scent system is in constant use, the cleaning operation above should be carried out every 2-3 months to ensure ultimate efficiency of the atomised scent delivery technology.

If the equipment is not being used for a long period of time it is recommended that the fragrance oil bottle is emptied and the fragrance oil stored in a dry, dark, secure location. The scent system should then be cleaned with the cleaning solution as mentioned above. Please refer to User Manual for further information.

\* Failure to clean the machinery will affect the warranty\*