

BAGNODESIGN

EXPERTLY CRAFTED BATHROOMS

Installation Guide



BDD-BIS-510-XX
BRISTOL ROUND SHOWER HEAD DIA. 200

A member of **SANIPEXGROUP**
www.sanipexgroup.com

IMPORTANT PLEASE READ

All products manufactured and supplied by BAGNODESIGN are fit for purpose as long as they are Installed, used correctly, cleaned and receive regular maintenance in accordance with these instructions...

Remove all packaging and check the product for damage or missing parts before commencing with the installation.

Any alterations made to this product and its components may infringe product certification, infringe water regulations and invalidate the guarantee. The Installation must comply with all local/national water supply authority regulations/bylaws and building and plumbing regulations, therefore we strongly recommend that your product be installed by a reputable qualified trade's person.

PRODUCT LIFECYCLE

"The product LiveCyclele is the collective stages that a product goes through from its conception and design through to its ultimate disposal."

DISPOSAL GUIDANCE

The best way to ensure your Product has a long life is to follow the Care and Maintenance guides set by the Manufacture after purchase. This document can be found at www.sanipexgroup.com. The life cycle of the product is not in correlation to the product Guarantee; the standards the products are manufactured or certified to (e.g. CE & WRAS) can exceed past the Guarantee duration. After the life cycle of the product is deemed complete by the end-user please follow the below to dispose of the items correctly...


Mixers (Taps):

If the mixers are no longer accepted due to mechanical use or aesthetic style, these can be disposed of at a registered Local Authority waste recycling center where the individual components can be sorted.

CLEANING CARE GUIDE

Only use a mild soap and water for cleaning.
Rinse with water to remove the mild soap solution.
We recommend the product is dried using a soft cloth after every use.

Never use any abrasive or strong cleaning products containing, bleaches, acids (hydrochloric, formic, phosphorus, chlorine or acetic), strong detergents, limescale remover, alcohol or dyes etc.
Never use abrasive cleaning pads, wire wool or microfibre cloths.
Never use cleaning equipment that may have been pre-used and contaminated with the above substances.
Never apply the cleaning product directly onto the finished surface.



SHOWER HEAD

1. Unscrew the shower head from the shower arm.
2. Place the shower head upside down, unscrew the screw and remove the filter from the body.
3. Clean the inside of the filter with a brush.
4. Reassemble the filter on the body and tighten the screw making sure the filter and gasket are positioned correctly.
5. Screw the shower head into the shower arm.



SHOWER HEAD WITH ANTI-SCALE NOZZLES

It is not necessary to disassemble the shower head for proper maintenance

1. Run lukewarm running water.
2. Clean the outside of the filter by running a finger over the nozzles.

For proper functioning carry out periodic maintenance, based on the presence of limestone.

ATTENTION

The removal of the flow limiter pad present inside the joint is considered a structural modification of the product.

RECOMMENDATIONS FOR CORRECT USE

To prevent impurities from getting inside the product causing operating problems, it is always advisable to purge the system before connecting the supply pipes. It is also advisable to install a special filter at the entrance to the system.

To prevent limescale from clogging the diffuser, we recommend periodically rubbing the silicone nozzles to free them from clacking and to keep the diffuser always clean.

