


AQUAECO

Deck Mounted Touchless Taps

AQE-ECO-I301-CP

MONO TOUCHLESS BASIN TAP


INSTALLATION AND MAINTENANCE GUIDE





SANIPEXGROUP

COMPONENTS

COMPONENTS PROVIDED




x1 CONTROL BOX



x1 AC ADAPTER




x1 SPOUT



x1 FIXING KIT

TOOLS REQUIRED



x1 SCREWDRIVER



x1 DRILL



x1 ADJUSTABLE SPANNER

ATTENTION

IMPORTANT PLEASE READ

All products manufactured and supplied by BAGNODESIGN are fit for purpose as long as they are Installed, used correctly, cleaned and receive regular maintenance in accordance with these instructions.

Remove all packaging and check the product for damage or missing parts before commencing with the installation.


Any alterations made to this product and its components may infringe product certification, infringe water regulations and invalidate the guarantee. The Installation must comply with all local/national water supply authority regulations/bylaws and building and plumbing regulations, therefore we strongly recommend that your product be installed by a reputable qualified trade's person.

DISPOSAL GUIDANCE


The best way to ensure your product has a long life is to follow the Care and Maintenance guides set by the Manufacture after purchase. This document can be found at www.sanipexgroup.com.

The life cycle of the product is *not* in correlation to the product Guarantee; the standards the products are manufactured or certified to (e.g. CE & WRAS) can exceed past the Guarantee duration.

INLET WATER TEMPERATURES



COLD WATER




HOT WATER


For **MIXED** water use mixing valves

THERMOSTATIC

MECHANICAL




AQM-WRM-T301A-CON-CP



AQM-WRM-M301-CON-CP

WATER PRESSURE



MIN 1.0 BAR



MAX 5.0 BAR


Hot and Cold pressure should be kept balanced within 1 BAR

ATTENTION


WARNING: FLUSH THE PIPES BEFORE CONNECTING



CORRECT PIPE CONNECTIONS



INCORRECT PIPE CONNECTIONS



PRODUCT CLEANING

We recommend cleaning with a soft damp cloth and mild soap solution.

DO NOT use cream cleaners or cleaners containing bleach.

DO NOT scrub or scour.

DO NOT use abrasive cleaning agents.


DO NOT use solvent based cleaners.




SPECIFICATION

Power	AC220V BACKUP (4x1.5V AA Batteries)
Power Consumption	DC:Standby:≤0.2mW AC:Standby:≤2W;Active:≤5W
Sensing Distance	27-31 CM
Temperature	1°C-55°C
Dia. of inlet pipe	G1/2"





PRODUCT DIMENSION



RECOMMENDED DIMENSION




INSTALLATION




INSTALLATION

5




6




MAINTENANCE

CLEAN FILTER



CLEAN AERATOR



TROUBLESHOOTING

Problem	Cause	Solution
No water	The battery is drained	Change the battery
	Water supply off	Check supply
	Dirt in the filter	Clean the filter
	Water pressure too low	Raise the pressure
Water will not turn off	Dirt on the sensor window	Clean the sensor
Too little water flow	Water supply is turned down	Adjust water supply
	The filter is too dirty	Clean the filter
	Water pressure is too low	Raise the pressure
Too much water flow	Water pressure is too high	Adjust pressure
Short cycles of battery	Incorrect batteries	Change to 4AA Alkaline batteries
The indicator light is not on	The light is broken	Change the light or circuit board
	The battery is drained	Change the battery
	Poor connection of battery	Change battery connections

WARRANTY

Sanipex Group warrants that all Products will be free from manufacturing defects and design defaults on the date of purchase and for the duration mentioned in the Product Technical Specification sheet ("Warranty Period").

Liability of Sanipex Group shall be limited to either repairing or replacing the faulty Products, at its sole discretion, if the same are within the Warranty Period. If Sanipex Group has ceased manufacturing the Product and is unable to replace the Product or provide a suitable part, Sanipex Group will offer to replace the Product with a suitable alternative product that matches the Product as closely as possible.

This warranty shall not be applicable on third party products and in such cases the warranty terms of the concerned third party shall apply.

For further details and information about our Warranty conditions and where certain exclusions may apply, please visit **www.sanipexgroup.com/c/warranty**

AQUAECO

For more information visit **www.bagnodesign.it**



SANIPEXGROUP

