








AXENT GRACE
INSTALLATION INSTRUCTION



				
 max. 1 MPa	 max. 80°C	 0.3 MPa / Q= 5 l/min	 40-65°C	 0.1-0.5 MPa





F02.17xx.61.04




- EN** The product is exclusively designed for drinking water!
DE Das Produkt ist ausschließlich für Trinkwasser konzipiert!
FR Le produit est exclusivement conçu pour de l'eau potable!
NL Het product is uitsluitend ontworpen voor drinkwater!
DA Produktet er udelukkende beregnet til drikkevand!
ES El producto está diseñado exclusivamente para agua potable!
IT Il prodotto è concepito esclusivamente per acqua potabile!
PL Produkt przeznaczony wyłącznie do wody pitnej!
CS Výrobky jsou vhodné pro přímý kontakt s pitnou vodou.
HU A terméket kizárólag ivóvízhez tervezték!




1




2




3



4




5









TEMPERATURE ADJUSTMENT



4








No limitation

Max. hot temp: approx. 65°C






SERVICE GRACE





F02:17xx.61.04



For xx:

12 = Brushed stainless steel
 06 = Matt black
 07 = Brushed gunmetal
 08 = Brushed light gold optic
 09 = Brushed dark copper optic

Pos.	Article no.	Product name	Qty
1	X02.0000.xx.01	Handle 45	1
2	X02.0023.xx.01	Handle complete D42.5	1
3	X02.0024.xx.01	Rosette complete D42	1
4	X02.0022.10.01	Nut M37	1
5	X02.0010.10.01	Cartridge D35 with limiter	1
6	X02.0018.xx.01	Connector	1
7	X02.0019.10.01	Connecting set M40	1
8	X02.0020.10.01	Flexible hose G1/2 400mm	1
9	X02.0005.10.01	Flexible hose set G3/8-M10 500mm	1
10	X02.0021.xx.01	Spout complete	1
11	X02.0007.10.01	Aerator (5l/min)	1

AXENT International AG

info@axentbath.ch
www.axentbath.ch