INSTALLATION AND MAINTENANCE GUIDE

INFRARED TAPS

Electronic taps – saving water, saving power, promoting hygiene







Important:

Read carefully before installing product

INDEX

3	recrifical Data : battery powered taps
4	Technical Data : transformer powered taps
5	Pack Contents
6	Pre Installation Information
7 - 9	Tap Installation
10-11	Range Adjustment using Dolphin Blue Remote Control – DB51 Adjusting the sensor range with a remote control
12	Battery Replacement DB100, DB150, DB200, DB250, DBL200, DBL250 models
13	Maintenance Filters cleaning instructions Care and cleaning of chrome and special finishes
14	Trouble Shooting
15	Spare Parts List
17	Warranty

TECHNICAL DATA

Technical details for **BATTERY** powered taps

9V (1 × 9v PP3) Power Supply

90 seconds. Can be reduced with the remote Security Time

control

Recommended 0.5-8.0 bar (7-116 PSI)

Water Pressure With water pressure of more than 8 bars

use a pressure reducing valve for reduction

Preset sensor range 220mm

Minimum sensor range 80mm

Maximum sensor range 300mm

Max 70°C Hot water temperature

TECHNICAL DATA

Technical details for **TRANSFORMER** powered taps

Power Supply 9V Transformer

Security Time 90 seconds. Can be reduced with the remote

control

Recommended 0.5-8.0 bar (7-116 PSI)

Water Pressure With water pressure of more than 8 bars

use a pressure reducing valve for reduction

Preset sensor range 220mm

Minimum sensor range 80mm

Maximum sensor range 300mm

Hot water temperature Max 70°C

PACK CONTENTS


Familiarise yourself with the part's names and confirm that the parts are included.

DBI00

DB200

DBL200

- I I x tap and attachment
- 2 I x filter
- 3 I x battery box




DB125

DB225

DBL225

- I I x tap and attachment
- 2 I x filter
- 3 I x transformer



PRE INSTALLATION INFORMATION

Check contents

- Separate all parts from the packaging and check each part with the 'pack contents' section.
- Pay attention to the different model variations.
- Make sure all parts are accounted for before discarding any packaging material.
- If any parts are missing, do not attempt to install your electronic tap until you obtain the missing parts.

Warnings

- Do not install facing a mirror or any other eletronic system operated by an infrared sensor.
- To prevent reflection problems, it is recommended to keep a minimum distance of 1.5 metres between the tap and any other objects.


Preparation for installation

- Flush water supply lines thoroughly before installing the tap.
- Do not allow dirt, Teflon tape or metal particles to enter the tap.
- Shut off the water supply.


Important

- All plumbing is to be installed in accordance with applicable codes and regulations.
- Installations in Australia and New Zealand must comply with the requirements of AS/NZS 3500

Recommended hole size



Recommended hole size




TAP INSTALLATION

Familiarise yourself with the part's names and confirm that the parts are included.

DB150 DB250

DBL250

- I I x tap and attachments
- $2.2 \times filters$
- 3 I x battery box




DB175

DB275

DBL275

- I I x tap and attachments
- $2.2 \times filters$
- 3 | x transformer



TAP INSTALLATION

Step I - Remove all mounting hardware

I Shut off water supply and remove the hexagonal nut, the disk



Step 2 – Installing the tap


- I Place the tap with O-ring into the hole in the basin or basin/sink. Make sure the O-ring is located between the counter or basin/sink and the bottom of the tap.
- 2. Slide the gasket over flexible hose(s).
- 3. Secure the tap to the counter or basin/sink with the hexagonal nut and the disk.



TAP INSTALLATION

Step 3 - Connecting the Water Source

- 1. a. DB100, DB125, DB200, DB225, DBL200, DBL225: connect the flexible pipe to the water supply
 - b. DB150, DB175, DB250, DB275, DBL250, DBL275: connect the red flexible pipe to the hot water supply and the blue flexible pipe to the cold water supply.
- 2. Make sure the filter(s) are installed between the flexible pipe and the shut off valve (not supplied).
- 3. Turn on the central water supply and the shut off valve.
- 4. Check for leaks.




Step 4 Connecting the Power Source

I. a. DB100, DB150, DB200,

DB250, DBL200, DBL250: connect the power source, Install the battery's box at the wall under the sink using the two sided adhesive foam tape. The cable connection must point down. (You can use an optional extension cable in order to assemble the battery box up to ten feet from the sink. See "Spare parts list"). b. DB125, DB175, DB225, DB275, DBL225, DBL275: plug the transformer into the

electrical socket and connect the connectors.

- 2. Important: Wait a few seconds before activating the tap to avoid entering into 'adjustment mode'.
- 3. If range is unsatisfactory, refer to the section entitled 'Range adjustment'.



RANGE ADJUSTMENT

Adjusting the sensor with the remote control

This tap was supplied with a Self Adjusting Sensor. The ideal detection range for the specific location will be set automatically.



DETECTION RANGE: Only if necessary, use the remote control to adjust the sensor range as follows: Shut off the water supply. Hold the remote control straight in front of the sensor in a distance of

about 6 - 8" (15 - 20cm). Choose the function RANGE by pressing once at the range function button. After pressing this function button, a quick flashing of the red light at the front of the sensor will occur. At this stage, you can increase or decrease the sensor range by pressing the (+) or the (-) buttons, every push will increase or decrease one level.

Note: Once you have changed the detection range with the remote control, this distance will be remembered by the sensor, even if the power source is disconnected. To get back to the self adjustment mode, use the ADJ button only.



Adjusting other settings with the remote control

SECURITY TIME: The Security time, prevents continuous running of water due to reflections or vandalism. By default, if the sensor is covered

for more than 90 seconds the water flow will shut automatically. To resume regular operation any obstruction must be removed.

Press the SEC button. Wait until a quick flashing of the red light of the sensor eye is perceived. Then, press + to increase the security time and - to reduce it.



DELAY IN TIME: It is recommended to change the delay in time for flush valves for urinals or toilets only.

If required, the delay in time can also be modified in taps as follows: Press the IN button. Wait until a quick flashing of the red light of the sensor eye is perceived. Then, press + to increase the delay in time and - to reduce it.

RANGE ADJUSTMENT



DELAY OUT TIME: This button allows modifying the water flow time after the user removes his hands from the tap. A delay out time close to 0 will save more water. An increased delay out time will make the user experience more comfortable. The factory setting for delay out time is

I second. If required, the delay out time can be modified as follows: Press the OUT button. Wait until a guick flashing of the red light of the sensor eye is perceived. Then, press + to increase the delay out time and - to reduce it.



24 HOUR HYGIENE FLUSH: If you have a compatible model with a 24 hours hygiene flush it is possible to enable and disable it . To activate the hygiene flush, press the clock button. Wait until a quick flashing of the red light of the sensor eye is perceived. Then press + to activate the

hygiene flush or – to deactivate it.



TEMPORARY OFF FUNCTION: This function is ideal to perform any kind of activity in front of the sensor without operating the system (for example, cleaning). The tap will remain shut for I minute when this button is pressed once. To cancel this function and to return to normal operation press the On/Off button again or wait I minute.



RESET BUTTON: This function restores all the factory settings except for the sensor range. If required, press the Reset button and without releasing it, press the + button once.

Note: To enter the self adjusting mode, use the ADI button. To change the sensor range, use the RANGE button.

BATTERY REPLACEMENT


For models DB100, DB150, DB200, DB250, DBL200, DBL250

Battery models only

When the battery weakens, the red indicator light will blink at a constant rate. The battery must be replaced within two weeks.

To replace the battery

- I Carefully open the battery's box
- 2 Remove the old battery
- 3 Replace the used battery with a new 9V battery (Lithium battery is recommended)



4 Close the box

MAINTENANCE

Filter Cleaning Instruction

This tap is provided with one/two stainless steel filter(s) preventing foreign particles to enter the lines. If the water flow has decreased, this may be because the filter(s) is/are clogged. The filter(s) can be changed as follows:

Shut off the water shut-off valve

For DB100, DB125, DB200, DB225, DBL200, DBL225

2 Disconnect the flexible pipe


For DB150, DB175, DB250, DB275, DBL250, DBL275

- 2 Disconnect the red and blue flexible pipes
- 3 Remove the filter(s) and wash it/them under running water
- 4 Reassemble the parts.
- 5 Reconnect the flexible pipe(s) and restore the incoming water supply.
- 6 Make sure that there is no water leakage.


Care and cleansing of chrome and special features

DO NOT use steel wool or cleansing agents containing alcohol, acid, abrasives, or the like. Use of any prohibited cleansing or maintenance products or substances could damage the surface of the tap. For surface cleansing of the tap use only soap and water, then wipe dry with clean cloth or towel. When cleaning bathroom tiles, the tap should be protected from any splattering of harsh cleansers.


TROUBLE SHOOTING



SPARE PARTS LIST DBI00



SPARE PARTS LIST DB200



Item Description /Part No.

- Seals and Screws Kit DB07210007
- 20 O-ring
- 19 O-ring
- 15a Gasket
- Screw 8
- 9 Screw
- 25 O-ring
- Sensor Kit DB07220009
- Infra-Red Sensor | |
- 25 O-ring
- Filter Adapter Kit DB07212001
- 13 Filter
- 14 Nipple
- Cover Kit DB07270003
- Cover 2
- 20 O-ring
- Solenoid Valve Kit DB07230003
- 7 Solenoid valve
- 10 Diaphragm
- 10 Diaphragm DB04500001
- 21 Battery box (IP 67 version) DB83F
- 21 Battery box DB82F
- 23 9V Transformer (100mA) DB70F
- 23 9V Transformer (300mA) DB85F

LIMITED WARRANTY

This product is covered by a limited warranty for two years from date of purchase.

During this period, Dolphin Solutions Ltd undertakes, at its option, to repair or replace any faults caused by defective materials or manufacturer defaults that may arise.

The guarantee does not cover faults or damage caused by incorrect installation and/or manufacture, wear and tear, battery or water compositions. This includes but is not limited to the following:

- incorrect installation, inversions or supply pipes
- Pressures or temperatures exceeding recommended limits
- Improper manipulations, tampering, bad or lapsed maintenance
- Foreign bodies, dirt or scale introduced by the water supply

Request your 320 page catalogue today on 404



DOLPHIN

Dolphin Solutions Ltd

Southpoint, Compass Park, Bodiam, Robertsbridge, TN32 5BS

Tel: +44 (0) 1424 20 22 24 Fax: +44 (0) 1424 205 200 info@dolphinsolutions.co.uk ww.dolphinsolutions.co.uk